


RCCN 日成 A 型多孔加厚金属防水电缆接头 A Type Brass Cable Gland



螺母 Lock Nut A
O形圈 O-Ring B
本体 Body C
夹紧爪 Claw D
夹紧圈 Seal E
迫紧头 Sealing Nut F

产品材质:金属:黄铜镀镍 夹紧爪:尼龙 橡胶:硅橡胶
 螺纹规格:M/PG/NPT/G(PF) 产品认证:CE,EX,ROHS
 工作温度:-50°C至150°C 防护等级:IP68

Thread:Metric/PG/NPT/G(PF)
 Material:Brass,nickel plated
 Claw:PA Seal/Oring:silicon rubber
 Certificates:CE,EX,ROHS
 Tempe.range:-50°C to +150°C
 Protection:IP68.

螺纹标准及开孔数据 参考A26页



2孔 Hole 3孔 Hole 4孔 Hole 5孔 Hole 6孔 Hole 7孔 Hole 1扁孔 Flat hole

单位/Unit:mm

型号 Item No.				孔数 × 孔径 Cable Range	适用电缆 Cable Range Ø	螺纹长度 Thread Length L1	配套螺母 上限板厚 +Nut Max platethick	接合长度 Joint Length L2+L3	扳手 Spanner SW A/F
公制螺纹 M	德制螺纹 PG	美制螺纹 NPT	英制螺纹 G						
A-M12×1.5-H2-2	A-PG7-H2-2	A-NPT1/4-H2-2	A-G1/4-H2-2	2×2	0.5-2	6	≤2.5	19	14/14
A-M12×1.5-H3-2	A-PG7-H3-2	A-NPT1/4-H3-2	A-G1/4-H3-2	3×2	0.5-2	6	≤2.5	19	14/14
A-M12×1.5-H4-1	A-PG7-H4-1	A-NPT1/4-H4-1	A-G1/4-H4-1	4×1	0.3-1	6	≤2.5	19	14/14
A-M16×1.5-H2-3	A-PG9-H2-3	A-NPT3/8-H2-3	A-G3/8-H2-3	2×3	1-3	7	≤3.5	20	18/18
A-M16×1.5-H3-3	A-PG9-H3-3	A-NPT3/8-H3-3	A-G3/8-H3-3	3×3	1-3	7	≤3.5	20	18/18
A-M16×1.5-H4-2	A-PG9-H4-2	A-NPT3/8-H4-2	A-G3/8-H4-2	4×2	1-2	7	≤3.5	20	18/18
A-M16×1.5-H5-1	A-PG9-H5-1	A-NPT3/8-H5-1	A-G3/8-H5-1	5×1	0.3-1	7	≤3.5	20	18/18
A-M20×1.5-H2-4	A-PG13.5-H2-4	A-NPT1/2-H2-4	A-G1/2-H2-4	2×4	2-4	8	≤4.5	23	22/22
A-M20×1.5-H3-4	A-PG13.5-H3-4	A-NPT1/2-H3-4	A-G1/2-H3-4	3×4	2-4	8	≤4.5	23	22/22
A-M20×1.5-H4-3	A-PG13.5-H4-3	A-NPT1/2-H4-3	A-G1/2-H4-3	4×3	1-3	8	≤4.5	23	22/22
A-M20×1.5-H5-2	A-PG13.5-H5-2	A-NPT1/2-H5-2	A-G1/2-H5-2	5×2	0.5-2	8	≤4.5	23	22/22
A-M20×1.5-H6-1	A-PG13.5-H6-1	A-NPT1/2-H6-1	A-G1/2-H6-1	6×1	0.3-1	8	≤4.5	23	22/22
A-M25×1.5-H2-5	A-PG16-H2-5	A-NPT3/4-H2-5	A-G3/4-H2-5	2×5	3-5	9	≤4.5	23	28/24
A-M25×1.5-H3-5	A-PG16-H3-5	A-NPT3/4-H3-5	A-G3/4-H3-5	3×5	3-5	9	≤4.5	23	28-24/24
A-M25×1.5-H4-4	A-PG16-H4-4	A-NPT3/4-H4-4	A-G3/4-H4-4	4×4	2-4	9	≤4.5	23	28/24
A-M25×1.5-H5-3	A-PG16-H5-3	A-NPT3/4-H5-3	A-G3/4-H5-3	5×3	1-3	9	≤4.5	23	28/24
A-M25×1.5-H6-2	A-PG16-H6-2	A-NPT3/4-H6-2	A-G3/4-H6-2	6×2	0.5-2	9	≤4.5	23	28/24
A-M32×1.5-H2-7	A-PG21-H2-7	A-NPT3/4-H2-7	A-G3/4-H2-7	2×7	4-7	9	≤4.5	23	34-30/30
A-M32×1.5-H3-6	A-PG21-H3-6	A-NPT3/4-H3-6	A-G3/4-H3-6	3×6	3-6	9	≤4.5	23	34-30/30
A-M32×1.5-H4-6	A-PG21-H4-6	A-NPT3/4-H4-6	A-G3/4-H4-6	4×6	3-6	9	≤4.5	23	34-30/30
A-M32×1.5-H5-4	A-PG21-H5-4	A-NPT3/4-H5-4	A-G3/4-H5-4	5×4	2-4	9	≤4.5	23	34-30/30
A-M32×1.5-H6-3	A-PG21-H6-3	A-NPT3/4-H6-3	A-G3/4-H6-3	6×3	1-3	9	≤4.5	23	34-30/30
A-M32×1.5-H7-2	A-PG21-H7-2	A-NPT3/4-H7-2	A-G3/4-H7-2	7×2	0.5-2	9	≤4.5	23	34-30/30
A-M40×1.5-H2-8	A-PG29-H2-8	A-NPT1-1/4-H2-8	A-G1-1/4-H2-8	2×8	5-8	11	≤5.5	32	44-40/40
A-M40×1.5-H3-8	A-PG29-H3-8	A-NPT1-1/4-H3-8	A-G1-1/4-H3-8	3×8	5-8	11	≤5.5	32	44-40/40
A-M40×1.5-H4-8	A-PG29-H4-8	A-NPT1-1/4-H4-8	A-G1-1/4-H4-8	4×8	5-8	11	≤5.5	32	44-40/40
A-M40×1.5-H5-6	A-PG29-H5-6	A-NPT1-1/4-H5-6	A-G1-1/4-H5-6	5×6	3-6	11	≤5.5	32	44-40/40
A-M40×1.5-H6-5	A-PG29-H6-5	A-NPT1-1/4-H6-5	A-G1-1/4-H6-5	6×5	3-5	11	≤5.5	32	44-40/40
A-M40×1.5-H7-5	A-PG29-H7-5	A-NPT1-1/4-H7-5	A-G1-1/4-H7-5	7×5	3-5	11	≤5.5	32	44-40/40
A-M50×1.5-H2-12	A-PG36-H2-12	A-NPT1-1/2-H2-12	A-G1-1/2-H2-12	2×12	22-32	11	≤5.5	32	54-50/50
A-M50×1.5-H3-11	A-PG36-H3-11	A-NPT1-1/2-H3-11	A-G1-1/2-H3-11	3×11	22-32	11	≤5.5	32	54-50/50
A-M50×1.5-H4-9	A-PG36-H4-9	A-NPT1-1/2-H4-9	A-G1-1/2-H4-9	4×9	22-32	11	≤5.5	32	54-50/50
A-M50×1.5-H5-8	A-PG36-H5-8	A-NPT1-1/2-H5-8	A-G1-1/2-H5-8	5×8	22-32	11	≤5.5	32	54-50/50
A-M50×1.5-H6-7	A-PG36-H6-7	A-NPT1-1/2-H6-7	A-G1-1/2-H6-7	6×7	22-32	11	≤5.5	32	54-50/50
A-M50×1.5-H7-7	A-PG36-H7-7	A-NPT1-1/2-H7-7	A-G1-1/2-H7-7	7×7	22-32	11	≤5.5	32	54-50/50
A-M20×1.5-W4H10	A-PG13.5-W4H10	A-NPT1/2-W4H10	A-G1/2-W4H10	1	4×10	8	≤4.5	23	22/22
A-M20×1.5-W3H11	A-PG13.5-W3H11	A-NPT1/2-W3H11	A-G1/2-W3H11	1	3×11	8	≤4.5	23	22/22
A-M25×1.5-W6H13	A-PG16-W6H13	A-NPT3/4-W6H13	A-G3/4-W6H13	1	6×13	9	≤4.5	23	28/24
A-M32×1.5-W5H17	A-PG21-W5H17	A-NPT3/4-W5H17	A-G3/4-W5H17	1	5×17	9	≤4.5	23	34-30/30
A-M40×1.5-W8H25	A-PG29-W8H25	A-NPT1-1/4-W8H25	A-G1-1/4-W8H25	1	8×25	11	≤5.5	32	44-40/40
A-M50×1.5-W6H30	A-PG36-W6H30	A-NPT1-1/2-W6H30	A-G1-1/2-W6H30	1	6×30	11	≤5.5	32	54-50/50
A-M63×1.5-W9H43	A-PG48-W9H43	A-NPT2-W9H43	A-G2-W9H43	1	9×43	18	≤12.5	38	68-64/64